



HGE[®]

ELECTROMENAGER



SOTUPRIN

SOCIETE TUNISIENNE DE PROMOTION DE L'INDUSTRIE

www.sotuprin.com



PRESENTATION

Founded in 1990 and based on a 20 000m³ plant in Sfax Tunisia the "Tunisian company for the promotion of industry" (SOTUPRIN) is specialized in manufacturing of household electrical appliances under the brand HGE and OEM to our customers around the world. SOTUPRIN adapt the idea of making every detail perfect and limit the number of details to perfect. That's why our company is certified with ISO 9001 since 2008 and CE certification so we can meet the requirements of the markets around the globe.

To maintain and cope with variation of energy cost around the world and by using its experienced team of research and development, SOTUPRIN made sure to continue creating and innovating in household electrical appliances so it can provide the best experience with the lowest cost.

Locally our products are distributed by "Carrefour", "Le Magasin General", "Darty" and many other household appliance stores.

After being leader in the local market, SOTUPRIN expanded its selling first with the north African countries (Libya, Algeria and Morocco) then continued expanding to central Africa (Senegal, Gabon, Burkina Faso, Ivory coast), middle east of Asia (Syria, Lebanon) and Europe (Italy, France).





BLENDER

NEW

BL TURBO

FUNCTIONAL FEATURES

- 2 in 1 Blendr
- 230V - 50Hz
- Rotary 4 speeds control with pulse
- 1,5L plastic jar + Mill



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
BLT	370 x 390 x 560	0,08	8,5	6	1800	3780	4536





ELECTRIC FANS



V 40

FUNCTIONAL FEATURES

- 12 inch
- 3 speeds choices
- 230 V - 50 Hz - ≈50 W
- 820 - 1120 tr / min
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
V40	440 x 160 x 370	0,026	2,25	1	1050	2240	2560



V 40T

FUNCTIONAL FEATURES

- 12 inch
- 3 speeds choices
- 2 hours timer
- 230 V - 50 Hz - ≈50 W
- 820 - 1120 tr / min
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
V40T	440 x 160 x 370	0,026	2,25	1	1050	2240	2560



ELECTRIC FANS

V 60

FUNCTIONAL FEATURES

- 14 inch
- 3 speeds choices
- 2 hours timer
- 230 V - 50 Hz - ≈60 W
- 925 - 1260 tr / min
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
V60	450 x 175 x 520	0,044	3,1	1	672	1456	1690





ELECTRIC FANS



VOU

FUNCTIONAL FEATURES

- 12 inch
- 3 speeds choices
- 2 hours timer
- 230 V - 50 Hz - ≈50 W
- 820 - 1120 tr / min
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VOU	410 x 190 x 380	0,03	2,3	1	975	2015	2232



VSP

FUNCTIONAL FEATURES

- 12 inch
- 3 speeds choices
- 2 hours timer
- 230 V - 50 Hz - ≈50 W
- 820 - 1120 tr / min
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VSP	450 x 160 x 480	0,035	2,400	1	768	1664	1924



ELECTRIC FANS



VMA (STAND FAN)

FUNCTIONAL FEATURES

- 16 inch
- 3 speeds choices
- 230 V - ≈45 W
- 710 - 1220 tr / min
- adjustable height
- 90° oscillation
- 3 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VMA	450 x 130 x 510	0,03	2,7	1	935	1955	2185






ELECTRIC FANS



VBN

FUNCTIONAL FEATURES

- 16 inch
- 3 speeds choices
- 230 V - ≈45 W
- 710 - 1220 tr / min
- 90° oscillation
- 3 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VBN	440 x 200 x 440	0,038	2,3	1	660	1485	1782



ELECTRIC FANS



WITH REMOTE CONTROL

VMAT (STAND FAN)

FUNCTIONAL FEATURES

- 16 inch
- 3 speeds choices
- 230 V - 50 Hz - ≈42 W
- 710 - 1220 tr / min
- with remote control
- 2 hours timer
- adjustable height
- 90° oscillation
- 3 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m ³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VMAT	450 x 130 x 510	0,03	2,7	1	935	1955	2185





ELECTRIC FANS




WITH REMOTE CONTROL


VMT (WALL FAN)

FUNCTIONAL FEATURES

- 16 inch
- 3 speeds choices
- 230 V - ≈42 W
- 710 - 1220 tr / min
- with remote control
- 2 hours timer
- 90° oscillation
- 3 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VMT	440 x 270 x 420	0,05	2,4	1	520	1080	1296



TOWER FAN

FUNCTIONAL FEATURES

- 3 speeds choices
- 2 hours timer
- 220 V - 50 Hz - 51/60 W
- 820 - 1500 tr / min
- 90° oscillation
- ultra quiet running & gentle air supply

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VTT	755 x 255 x 260	0,052	3,75	1	594	1242	1377




ELECTRIC FANS



VMAX (STAND FAN)

FUNCTIONAL FEATURES

- 18 inch
- 3 speeds choices
- 230 V - 50 Hz - ~60 W
- 710 - 1220 tr / min
- with remote control
- 2 hours timer
- adjustable height
- 90° oscillation
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VMAX	490 x 160 x 590	0,047	3,5	1	576	1280	1480





ELECTRIC FANS



VO

FUNCTIONAL FEATURES

- 14 inch
- 3 speeds choices
- 230 V - 50 Hz - ≈60 W
- 820 - 1500 tr / min
- 120 ° of tilting angle adjustable
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VO	450 x 175 x 510	0,042	3,10	1	672	1456	1690



VO+

WITH REMOTE CONTROL

FUNCTIONAL FEATURES


- 14 inch
- 3 speeds choices
- 2 hours timer
- with remote control
- 230 V - 50 Hz - ≈60 W
- 820 - 1500 tr / min
- 120 ° of tilting angle adjustable
- 360 ° adjustable louver
- 5 PP blades
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VO+	450 x 175 x 510	0,042	3,10	1	672	1456	1690



ELECTRIC FANS



VP 360 (CEILING FAN)

FUNCTIONAL FEATURES

- 3 speeds choices
- wall regulator
- 230 V - 50 Hz - ~60 W
- 820 - 1500 tr / min
- 360° oscillation
- ultra quiet running & gentle air supply



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
VP 360	450 x 355 x 450	0,072	2,750	1	390	780	910





ELECTRIC HEATERS



CEQ 2400 W

FUNCTIONAL FEATURES

- heating element: quartz tube
- 3 heats settings: 800W/1600W/2400W
- adjustable thermostat
- 230 V - 50 Hz
- safety mesh grill
- safety tip over switch

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
CEQ 2400	570 x 200 x 440	0,050	3,200	1	550	1155	1263



CEQ 2700 W

FUNCTIONAL FEATURES

- heating element: quartz tube
- 3 heats settings: 900W/1800W/2700W
- adjustable thermostat
- 230 V - 50 Hz
- safety mesh grill
- safety tip over switch

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
CEQ 2700	780 x 200 x 440	0,07	3,800	1	400	840	867



ELECTRIC HEATERS

CEQ 2200 W

FUNCTIONAL FEATURES

- heating element: quartz tube
- 4 heats settings: 550W/1100W/1650W/2200W
- 230 V - 50 Hz
- safety mesh grill
- safety tip over switch



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
CEQ 2200	530 x 220 x 610	0,07	3,5	1	330	792	880





ELECTRIC HEATERS



CEQ 1500 W

FUNCTIONAL FEATURES

- heating element: quartz tube
- 3 heats settings: 500W/1000W/1500W
- 230 V - 50 Hz
- safety mesh grill
- safety tip over switch

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
CEQ 1500	480 x 140 x 250	0,017	1,250	1	1728	3600	4000



CEQ 1800 W

FUNCTIONAL FEATURES

- heating element: quartz tube
- 3 heats settings: 600W/1200W/1800W
- 230 V - 50 Hz
- safety mesh grill
- safety tip over switch

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
CEQ 1800	580 x 210 x 140	0,017	1,5	1	1600	3200	3840



ELECTRIC HEATERS

CE 1200 T

FUNCTIONAL FEATURES

- heating element: Halogen tube
- 2 heats settings: 600W/1200W
- 230 V - 50 Hz
- safety mesh grill
- safety tip over switch



WITH REMOTE CONTROL



Description	Box Meas (mm)	Vol (m ³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
CE 1200T	340 x 150 x 680	0,035	2,800	1	768	1632	1785





WASHING MACHINE

ML 8,5

FUNCTIONAL FEATURES

Rated capacity	Wash	Spin-dry
	8,5 KG	5,5 KG
Water level	High	Low
	58 L	40 L
Rated Power	Wash	Spin-dry
	420 W	240 W
Weight	Net Weight	Gross Weight
	18 KG	20 KG



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
ML 8,5	475 x 750 x 920	0,33	20	1	76	160	220



WASHING MACHINE

ML 11

FUNCTIONAL FEATURES

Rated capacity	Wash	Spin-dry
	11 KG	7 KG
Water level	High	Low
	85 L	60 L
Rated Power	Wash	Spin-dry
	570 W	180 W
Weight	Net Weight	Gross Weight
	22 KG	24 KG



Description	Box Meas (mm)	Vol (m ³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
ML 11	495 x 800 x 960	0,38	24 KG	1	64	134	160





WASHING MACHINE

ML 13

FUNCTIONAL FEATURES

Rated capacity	Wash	Spin-dry
	13 KG	8 KG
Water level	High	Low
	85 L	60 L
Rated Power	Wash	Spin-dry
	600 W	200 W
Weight	Net Weight	Gross Weight
	24 KG	26 KG



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
ML 13	875 x 520 x 1020	0,46	26	1	56	118	140



WASHING MACHINE

ML 3,5

FUNCTIONAL FEATURES

Rated capacity	Wash	Spin-dry
	3,5 KG	2,5kg
Water level	High	Low
	26 L	8,5 L
Rated Power	Wash	Spin-dry
	180 W	-
Weight	Net Weight	Gross Weight
	5,5 KG	6 KG



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
ML 3,5	375 x 360 x 530	0,07	6 KG	1	384	792	990





COOLERS



RI 9

FUNCTIONAL FEATURES

- Composition: Polypropylene.
- Weight: 1850 gr
- Insulation: Body & cover
- Capacity: 9 Liters
- Temperature: Between 0°C and 18°C over a period of 24 hours.
- Options: Degassing cap & With 3 folding legs,

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
Ri9	800 x 250 x 350	0,07	5,60	3	1134	2430	2835



RI 12

FUNCTIONAL FEATURES

- Composition: Polypropylene.
- Weight: 2100 gr
- Insulation: Body & cover
- Capacity: 12 Liters
- Temperature: Between 0°C and 18°C over a period of 24 hours.
- Options: Degassing cap & With 3 folding legs,

Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
Ri12	800 x 250 x 450	0,09	6,3	3	945	2025	2250



COOLERS

G 17

FUNCTIONAL FEATURES

- Composition: Polypropylene.
- Weight: 2750 gr
- Insulation: Body & cover
- Capacity: 17 Liters
- Temperature: Between 0 °C and 18°C over a period of 24 hours.
- Option: one ice accumulator 300g



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
G 17	430 x 735 x 430	0,13	8,25 KG	1	525	1200	1440

G 22

FUNCTIONAL FEATURES

- Composition: Polypropylene.
- Weight: 3500 gr
- Insulation: Body & cover
- Capacity: 22 Liters
- Temperature: Between 0°C and 18°C over a period of 24 hours.
- Option: two ice accumulator 300g & Storage basket 4.5 liters, easy to extract.



Description	Box Meas (mm)	Vol (m³)	G.W (KG)	Qty / Ctn	Container Qty		
					20'	40'	40'HQ
G 22	500 x 930 x 430	0,2	10,5 KG	1	360	720	900





HEAD OFFICE AND FACTORY
ROUTE DE GABES KM 8 - B.P.N° 9 - 3038 THYNA - SFAX TUNISIE
E-mail : sotuprin@planet.tn / general.commerce@planet.tn
TEL : + 216 74 289 140 - + 216 74 289 129
FAX : + 216 74 289 132

SOTUPRIN
SOCIETE TUNISIENNE DE PROMOTION DE L'INDUSTRIE

www.sotuprin.com